

ROMEO CARE

THE JULIET BALCONY RAILING

THE WINDOW RAILING
THAT CAN BE INSTALLED
IN 1 CLICK



We Build the Invisible

Member of
**SIMONSWERK
GROUP**



ROMEO CARE


THE JULIET BALCONY RAILING

SYSTEM FEATURES:

- Revolutionary ease of installation with the **OPC system**, 1-click installation!
- **Compact design** to fit into the building's architecture.
- **Sold in kits:** 500, 700, 900, 1000, 1100 and 1200mm.
- **Length of 6 000mm possible**, for storage.
- **Can be installed on any support** (PVC, aluminum, wood or metal).
- **Several RAL finishes available**, to match the colors of the building or the window.
- Glass width **from 1 000 to 3 000mm**.
- **Test reports available**.
- **Integrated drainage**.

High performance barrier
with a **compact design**


Available for **various**
glass thicknesses.



UNIQUE EASE OF INSTALLATION ON THE MARKET


Quick and easy assembly
by one person!

STEP
1




> **Open** by turning the pivoting part.

STEP
2



> **Position** the glass and close the pivoting part. The glass is held!

STEP
3



> **Clip** the cover.

2 TYPES OF ASSEMBLIES

6 m long profile for storage available

Compatible with structures



WOOD



CONCRETE



METAL



SIDE MOUNT

Fixation on the window frame

GLASS THICKNESS	PROFILE SIZE					
	500 mm	700 mm	900 mm	1000 mm	1100 mm	1200 mm
10 -> 11,52 MM [5.5]	006RC1-50-0505	006RC1-70-0505	006RC1-90-0505	006RC1-100-0505	006RC1-110-0505	006RC1-120-0505
12 -> 13,52 MM [6.6]	006RC1-50-0606	006RC1-70-0606	006RC1-90-0606	006RC1-100-0606	006RC1-110-0606	006RC1-120-0606
16 -> 17,52 MM [8.8]	006RC1-50-0808	006RC1-70-0808	006RC1-90-0808	006RC1-100-0808	006RC1-110-0808	006RC1-120-0808
20 -> 21,52 MM [10.10]	006RC1-50-1010	006RC1-70-1010	006RC1-90-1010	006RC1-100-1010	006RC1-110-1010	006RC1-120-1010



TOP MOUNT

Fixation on the facade

GLASS THICKNESS	PROFILE SIZE					
	500 mm	700 mm	900 mm	1000 mm	1100 mm	1200 mm
10 -> 11,52 MM [5.5]	006RC2-50-0505	006RC2-70-0505	006RC2-90-0505	006RC2-100-0505	006RC2-110-0505	006RC2-120-0505
12 -> 13,52 MM [6.6]	006RC1-50-0606	006RC1-70-0606	006RC1-90-0606	006RC1-100-0606	006RC1-110-0606	006RC1-120-0606
16 -> 17,52 MM [8.8]	006RC1-50-0808	006RC1-70-0808	006RC1-90-0808	006RC1-100-0808	006RC1-110-0808	006RC1-120-0808
20 -> 21,52 MM [10.10]	006RC1-50-1010	006RC1-70-1010	006RC1-90-1010	006RC1-100-1010	006RC1-110-1010	006RC1-120-1010

THE FINISHES



ANODIZED ALUMINUM
Code : **01**




ALUMINIUM BRUSHED
STAINLESS STEEL EFFECT
Code : **02**



RAL COLOUR
Code : **03**

PERFORMANCE

Tests carried out in accordance with specification 30.34 within the framework of a project Validated for glasses from 1,000 to 2,500 mm wide.





We Build the Invisible

CLASSIC[®]

DECOR[®]

CONSTRUCT[®]

SABCO[®]

SWIMSIDE[®]

Member of
**SIMONSWERK
GROUP**

Tel. +33(0) 4 50 08 39 00 | Fax. +33(0) 4 50 08 39 49
76, chemin des Poses - 74330 Poisy (France)

sadev.com
follow us on

